Polymer Bulletin

© Springer-Verlag 1988

Author Index Volume 19 (1988)

Abe A, Furuya H: Deuterium NMR analysis of dimer liquid crystals 403
Aboulkassim A, Pelous Y, Chevrot C, Froyer G: Voltammetric studies on poly(para phenylene) films obtained by electroreduction 595
Ako M, Kennedy JP: Polyisobutylene-based urethane foams. I. Comparative reactivities of hydroxyl-terminated polyisobutylene-diols and -triols and other hydroxyl-capped polyols with isocyanate 137
Allen RD, Hedrick JL: Synthesis and properties of xylenyl ether-dimethylsiloxane triblock polymers 103
Alonso MA, Bower KE, Johnston JA, Farona MF: Homopolymerization of norbornene by rhenium olefin metathesis catalysts 211
Alvarez C, Strumia M, Bertorello H: Preparation and properties of polymers of carboxylated polybutadiene containing sucrose 521
Angne U, see Rivas BL, et al. 609
Anna P, see Bertalan Gy, et al. 539, 547
Asada T, see Yamamoto K, et al. 533
Atsumi M, see Hall HK, Jr. 319

Benayad B, see Monthéard J-P, et al. 111
Benicewicz B, see Liepins R, et al. 603
Berlepsch H von, Künstler W: Piezoelectricity in acrylonitrile/methylacrylate copolymer 305
Bertalan Gy, Nagy TT, Valkó P, Horváth G, Boros A, Boros-Ivicz M, Anna P: Mechanism and kinetics of the hydrochloric acid initiated polymerization of ε-caprolactam. 2. Identification of the kinetic model 547
Bertalan Gy, Rusznák I, Anna P, Boros-Ivicz M, Marosi Gy: Mechanism and kinetics of hydrochloric acid initiated ε-caprolactam polymerization. 1. The role of stereoelectronic control and acid catalysis 539
Bertorello H, see Alvarez C, et al. 521
Biroš J, see Pouchlý J 513
Blanco D, see Katime IA, et al. 515
Blundell DJ, see Waddon AJ, et al. 297
Boros A, see Bertalan Gy, et al. 547
Boros-Ivicz M, see Bertalan Gy, et al. 539, 547
Boussouira B, Ricard A: Hydrophobic interactions in water soluble cationic polymers studied by fluorescence 193
Bower KE, see Alonso MA, et al. 211
Bulacovschi V, see Simionescu CI, et al. 59
Bulgakova RA, see Chalykh AYe, et al. 501
Burr D, see Wu SK, et al. 457

Camps M, see Monthéard J-P, et al. 111
Canessa GS, see Rivas BL, et al. 123
Cao SK, Huang MY, Jiang YY: Hydrogenation catalyzed by silica-supported polystannazane-palladium and platinum complexes 347
Cao SK, Huang MY, Jiang YY: Catalytic behavior of silica-supported polyalumazane-Co-Ru bimetallic complex for the hydroformylation of cyclohexene 353
Cash D, see Liepins R, et al. 603
Catalán RE, see Rivas BL, et al. 609
Chalykh AYe, see Chertkov VG 487
Chalykh AYe, Sapozhnikova IN, Bulgakova RA, Sokolova NP: Phase and conformational transitions in the polyvinyl chloride-butanone-2 system 501
Chavasit V, Kienzle-Sterzer C, Torres JA: Formation and characterization of an insoluble polyelectrolyte complex: chitosan-polyacrylic acid 223
Cheng HN, Lee GH: The combined use of two-dimensional NMR and lanthanide shift reagents for the characterization of ethylene-vinyl acetate copolymers 89
Chertkov VG, Chalykh AYe: Polarization-interference micromethod for the study of mutual diffusion in polymer systems 487
Chevrot C, see Aboulkassim A, et al. 595
Chien JCW, see Chu CW, et al. 265
Chu CW, Dickinson LC, Chien JCW: Phase diagram for polystyrene/poly(vinylmethyl ether) blends by ^{13}C-NMR 265
Chujo Y, Ihara E, Ihara H, Saegusa T: Synthesis of polysiloxane-polyoxazoline graft copolymer by hydrosilylation reaction 435
Cohen-Addad JP, Huchot Ph, Viallat A: Proton magnetic relaxation observation of weak gel stretching. Evidence for affine deformation 257
Cortizo MS, Macchi EM, Figini RV: On the crystalline nature of poly(di-isopropyl fumarate) 477
Costes B, see Reyx D, et al. 269
Crivello JV, see Wu SK, et al. 457
Csákvári É, see Korecz L, et al. 493

Das GP, Mark JE: Comparisons among some theoretical studies of electrical conductivity in polymers 469
Dickinson LC, see Chu CW, et al. 265
Dijkstra DJ, Pennings AG: Shrinkage of highly oriented gel-spun polymeric fibres 65
Dijkstra DJ, Pennings AJ: The role of taut tie molecules on the mechanical properties of gel-spun UHMWPE fibres 73
Dijkstra DJ, Pennings AJ: Annealing of gel-spun hot-drawn ultra-high molecular weight polyethylene fibres 481
Dobkowski Z: The linear master dependence for polymer melts in the non-Newtonian range 165
Dondero G, Pedemonte E, Semino G, Turturro A: Morphology and thermal analysis of poly(ethylene-b-vinylacetate) copolymers 579
Dušek K, see Reyx D, et al. 269

Edelman A, Fradet A: Application of equation-of-state theories to some polymeric liquids 555

Fang S-B, Zhang P, Jiang YY: Ionic conductivity in crosslinked poly(ß-cyanoethylmethylsiloxane) network films containing lithium perchlorate 81
Farona MF, see Alonso MA, et al. 211
Faust R, Kennedy JP: Living carbocationic polymerization. XVI. Living carbocationic polymerization of styrene 21
Faust R, Kennedy JP: Living carbocationic polymerization. XVII. Living carbocationic polymerization of p-methylstyrene 29

Faust R, Kennedy JP: Living carbocationic polymerization. XVIII. Living carbocationic polymerization of 2,4,6-trimethylstyrene 35
Figini RV, see Cortizo MS, et al. 477
Fodor Zs, see Shlyapnikov YuA, et al. 449
Fong Y, see Xie H 179
Fouassier JP, see Wu SK, et al. 457
Fradet A, see Edelman A 555
François J, see Sarazin D, et al. 311
Froyer C, see Aboulkassim A, et al. 595
Furuya H, see Abe A 403

Galembeck F, see Gomes de Barros G, et al. 275
Gan J (YS), see Sarazin D, et al. 311
Ghosh M: Synthesis and characterization of polymers having -NH-SO-NH-group in the backbone 1
Glaser RH, Wilkes GL: Structure property behavior of polydimethylsiloxane and poly(tetramethylene oxide) modified TEOS based sol-gel materials. V. Effect of titaniumisopropoxide incorporation 51
Goethals EJ, see Weyts KF 13
Goh SH, see Ng SC, et al. 97
Gomes de Barros G, Vieira VW, Galembeck F: Mössbauer spectral changes in X-ray preirradiated polytetrafluoroethylene iron(III) oxide composite-interactions with acrylic acid 275

Haidar B, see Hedrick JL, et al. 573
Hall HK, Jr., Atsumi M: Carbocationic polymerization of electron-rich olefins by a carbon Bronsted acid 319
Haruvy Y: Grafting onto Tedlar films by the electron beam preirradiation technique. II. Grafting with acrylamide in a watertetrahydrofurane solution 129
Hatada K, Shinozaki T, Ute K, Kitayama T: Preparation of PMMA macromers by o-vinylbenzylmagnesium chloride and their polymerization 231
Hedrick JL, see Allen RD 103
Hedrick JL, Hofer DC, Russell TP, Haidar B: Structural modifications of segmented poly-(hydroxyether-siloxane) copolymers 573
Higashimura T, Kojima K, Sawamoto M: Living cationic polymerization of p-methoxystyrene by hydrogen iodide/zinc iodide at room temperature 7
Higashimura T, see Sawamoto M, et al. 359
Hinrichsen G, Jahr HJ, Springer H: Crystallization and melting behaviour of plasticized poly(vinylidenechloride). I. Differential thermal analysis 155
Hinrichsen G, Jahr HJ, Springer H, Wöbkemeier M: Crystallization and melting behaviour of plasticized poly(vinylidenechloride). II. Fourier-transform infrared spectroscopy 161
Hofer DC, see Hedrick JL, et al. 573
Horváth G, see Bertalan Gy, et al. 547
Hosea TJC, see Ng SC, et al. 97
Huang KJ, Szuga M, Kennedy JP: Living carbocationic polymerization. XIX. Synthesis of four-arm star polyisobutylenes capped by t-chlorine and isopropylidene groups 43
Huang MY, see Cao SK, et al. 347, 353
Huchot Ph, see Cohen-Addad JP, et al. 257
Hyun SH, Nishide H, Tsuchida E, Yamada S: Preparation and oxidative polymerization of 2-fluoro-6(3-methyl-2-butenyl)phenol 527

Ihara E, see Chujo Y, et al. 435
Ihara H, see Chujo Y, et al. 435
Iring M, see Shlyapnikov YuA, et al. 449

Jahn R, see Liepins R, et al. 603
Jahr HJ, see Hinrichsen G, et al. 155, 161
Jenkins AD, see Wilson DJ 461
Jiang YY, see Cao SK, et al. 347, 353
Jiang Y-Y, see Fang S-B, et al. 81
Johnston JA, see Alonso MA, et al. 211
Jorda R, Wilkes GL: Rapid recrystallization of freshly melted spherulites 409
Jorgensen B, see Liepins R, et al. 603

Kahovec J: Simple synthesis of polymeric primary aromatic amines 423
Kamigaito M, see Sawamoto M, et al. 359
Kammer HW, see Kressler J 283
Kang ET, see Neoh KG, et al. 325
Kashiwa N, Yoshitake J, Toyota A: Studies on propylene polymerization with a highly active $MgCl_2$ supported $TiCl_4$ catalyst system 333
Kashiwa N, Yoshitake J, Tsutsui T: Copolymerization of propylene with a small amount of ethylene using a $MgCl_2/TiCl_4$ and a $TiCl_3$ catalyst system 339
Kassamaly A, Sepulchre M, Spassky N: Enantioasymmetric polymerization of racemic styrene oxide 119
Kelen T, see Szuga M, et al. 201, 427
Keller A, see Waddon AJ, et al. 297
Kennedy JP, see Ako M 137
Kennedy JP, see Faust R 21, 29, 35
Kennedy JP, see Huang KJ, et al. 43
Kennedy JP, Peng KL, Wilczek L: New telechelic polymers and sequential copolymers by functional initiator-transfer-agents (Inifer). LVI. Quantitative synthesis of terminally-lithiated polyisobutylenes 441
Kennedy JP, see Zsuga M, et al. 201, 427
Kienzle-Sterzer C, see Chavasit V, et al. 223
Kinawy N, see Tawansi A, et al. 289, 509
Kiryushkin SG, see Shlyapnikov YuA, et al. 449
Kitayama T, see Hatada K, et al. 231
Kojima K, see Higashimura T, et al. 7
Kojima K, see Sawamoto M, et al. 359
Korecz L, Csákvári É, Tüdős F: Physical chemistry of polyelectrolytes. 1. Viscometry of a polyacid in salt-free aqueous solution 493
Korpi T, see Maunu SL, et al. 171
Kressler J, Kammer HW: Melting point depression in poly(ε-caprolactone)/poly(styrene-co-acrylonitrile) blends 283
Künstler W, see Berlepsch H von 305
Kunugi S, Kusano T, Yamada H, Nakamura Y: Orientation and immobilization of bacteriorhodopsin in polyacrylamide gel membranes 417
Kusano T, see Kunugi S, et al. 417

Laakso J, Österholm JE, Valkama M, Lindberg JJ: The electrical conductivities of poly(3.6-pyridazine) and poly(3.6-pyridazine sulphide) 385
Lee GH, see Cheng HN 89
Liepins R, McFarlan J, Jorgensen B, Benicewicz B, Jahn R, Cash D, Milewski JV: Beta-silicon carbide Whisker-polymer composites, part I. Electrical conductivity 603
Lim J-C, see Suzuki M, et al. 239, 247
Lindberg JJ, see Laakso J, et al. 385
Lindberg JJ, see Maunu SL, et al. 171

Macchi EM, see Cortizo MS, et al. 477
Macchi EM, see Mugnolo AMJ, et al. 187
Macocinschi D, see Simionescu CI, et al. 59
Mark JE, see Das GP 469
Marosi Gy, see Bertalan Gy, et al. 539
Marx-Figini M, see Mugnolo AMJ, et al. 187
Matějka L, see Reyx D, et al. 269
Matsuguchi M, see Sakai Y, et al. 318 (Erratum)
Maturana HA, see Rivas BL, et al. 609

Matuszewska-Czerwik J, Polowiński S: Complex formation in the template polymerization of methacrylic acid along poly(2-vinylpyridine) 149
Maunu SL, Korpi T, Lindberg JJ: Interpolymer complexation between poly(ethylene oxide) and poly(acrylic acid) 171
McFarlan J, see Liepins R, et al. 603
Meissner J, see Wolter HJ, et al. 389
Mercier R, Sillion B: Ethynyl terminated bisquinazolone. A new thermosetting heat resistant resin 561
Milas M, Rinaudo M, Tinland B, Murcia G de: Evidence for a single stranded xanthan chain by electron microscopy 567
Milewski JW, see Liepins R, et al. 603
Monthéard J-P, Camps M, Benayad B: Preparations of 4-(2-chloroethyl)styrene, 4-(2-chloroethyl) α-acetoxystyrene and 4-(3-bromopropyl) α- acetoxystyrene. Preliminary studies of their corresponding polymers and copolymers 111
Moore JS, Stupp SI: Paramagnetic organometallic liquid crystal polymers 251
Mugnolo AMJ, Macchi EM, Marx-Figini M: Dilute acid-hydrolized cotton cellulose. An electron diffraction study 187
Murcia G de, see Milas M, et al. 567

Nagy TT, see Bertalan Gy, et al. 547
Nakamura Y, see Kunugi S, et al. 417
Negulescu II, see Simionescu CI, et al. 59
Neoh KG, Kang ET, Tan TC: Chemical synthesis and characterization of electroactive and partially soluble polyazulene 325
Ng SC, Hosea TJC, Goh SH: Crystalline melting of polyethylene as studied by Brillouin spectroscopy 97
Nishide H, see Hyun SH, et al. 527
Nishide H, see Yamamoto K, et al. 533
Nuyken O, Siebzehnrübl F: Novel sulfur-containing telechelics with alternating aliphatic-aromatic structure units 371

Österholm JE, see Laakso J, et al. 385

Pedemonte E, see Dondero G, et al. 579
Pelous Y, see Aboulkassim A, et al. 595
Peng KL, see Kennedy JP, et al. 441
Pennings AJ, see Dijkstra DJ 73, 481
Pennings AJ, see Werff H van der 587
Perich IM, see Rivas BL, et al. 609
Perkins W: Effect of molecular weight and annealing temperature on the oxygen barrier properties of oriented PET film 397
Pham the Trinh, see Schimmel KH 377
Pizarro G del C, see Rivas BL, et al. 123
Plesch PH: Kinetics of living polymerisations 145
Polowiński S, see Matuszewska-Czerwik J 149
Pouchlý J, Biroš J: Comments on the interpretation of thermodynamic data on swollen hydrogels 513
Pramanick D, Ray TT: Synthesis and biodegradation of copolyesters from citric acid and glycerol 365

Rao VL, see Sakai Y, et al. 318 (Erratum)
Ray TT, see Pramanick D 365
Reyx D, Costes B, Matějka L, Dušek K: Spectroscopic characterization of 1,5-diphenyl-3,7-dihydroxy-1,5-diazacyclooctane-(8C ring compound) formed in N,N-diglycidylanaline/aniline curing systems 269
Ricard A, see Boussouira B 193
Rinaudo M, see Milas M, et al. 567
Rivas BL, Maturana HA, Catalán RE, Perich IM, Angne U: Weak and strong basic resins for uranium recovery. Part 6 609
Rivas BL, Pizarro G del C, Canessa GS: Copolymerization via zwitterion. 11. N-Phenylmaleimide with 2-ethyl-2-oxazoline 123
Russell TP, see Hedrick JL, et al. 573
Rusznák I, see Bertalan Gy, et al. 539

Sadaoka Y, see Sakai Y, et al. 318 (Erratum)
Saegusa T, see Chujo Y, et al. 435
Saegusa T, see Suzuki M, et al. 239, 247
Sakai Y, Rao VL, Sadaoka Y, Matsuguchi M: Humidity sensor composed of a microporous film of polyethylene-graft-poly-(2-acrylamido-2-methylpropane sulfonate) 318 (Erratum)
Sapozhnikova IN, see Chalykh AYe, et al. 501
Sarazin D, Gan J (YS), François J: Tacticity dependence of excimer formation in polystyrene solutions 311
Sawamoto M, see Higashimura T, et al. 7
Sawamoto M, Kamigaito M, Kojima K, Higashimura T: Living cationic polymerization of isobutyl vinyl ether initiated by the trimethylsilyl iodide/zinc iodide system 359
Schimmel KH, Pham the Trinh: Synthesis and thermoelastic characterization of PDMSM networks 377
Semino G, see Dondero G, et al. 579
Sepulchre M, see Kassamaly A, et al. 119
Shinozaki T, see Hatada K, et al. 231
Shlyapnikov YuA, Kiryushkin SG, Tyuleneva NK, Iring M, Fodor Zs: Processes occurring during the induction period of inhibited oxidation of polyethylene. I. Inhibitor: 2,2'-methylene-bis(4-methyl-6-tert. butylphenol) 449
Siebzehnrübl F, see Nuyken O 371
Sillion B, see Mercier R 561
Simionescu CI, Bulacovschi V, Macocinschi D, Stoica G, Negulescu II: Chemical transformation of PVC by phase transfer catalysis 59
Sokolova NP, see Chalykh AYe, et al. 501
Soliman MA, see Tawansi A, et al. 289
Spassky N, see Kassamaly A, et al. 119
Springer H, see Hinrichsen G, et al. 155, 161
Stoica G, see Simionescu CI, et al. 59
Strumia M, see Alvarez C, et al. 521
Stupp SI, see Moore JS 251
Suzuki M, Lim J-C, Saegusa T: Polyaddition between 2-alkenyl cyclic imino ether and mercaptocarboxylic acid 239
Suzuki M, Lim J-C, Saegusa T: Polyaddition between 2-alkenyl-2-oxazoline and N-acetyl-L-cysteine. Synthesis of optically active poly(amide-thioether-ester) 247

Tan TC, see Neoh KG, et al. 325
Tawansi A, Kinawy N, Badr SIM: Space-charge-limited conduction in $NiCl_2$-doped PMMA films 509
Tawansi A, Soliman MA, Kinawy N, Badr SIM: Phase separation, electrical and magnetic properties of $FeCl_3$ inhomogeneously doped PMMA 289
Teijon JM, see Katime IA, et al. 515
Tinland B, see Milas M, et al. 567
Tomka I, see Wolter HJ, et al. 389
Torres JA, see Chavasit V, et al. 223
Toyota A, see Kashiwa N, et al. 333
Trumbo DL: Copolymerization of 5-vinyl-2,2'-bithiophene with methyl methacrylate and n-butyl acrylate 217
Tsuchida E, see Hyun SH, et al. 527
Tsuchida E, see Yamamoto K, et al. 533
Tsutsui T, see Kashiwa N, et al. 339
Tüdős F, see Korecz L, et al. 493
Turturro A, see Dondero G, et al. 579
Tyuleneva NK, see Shlyapnikov YuA, et al. 449

Ute K, see Hatada K, et al. 231

Valkama M, see Laakso J, et al. 385
Valkó P, see Bertalan Gy, et al. 547
Vancso G, see Wolter HJ, et al. 389
Viallat A, see Cohen-Addad JP, et al. 257
Vieira VW, see Gomes de Barros G, et al. 275
Vilgis TA: Are sliplink models dangerous? 615

Waddon AJ, Keller A, Blundell DJ: b Axis type orientations in melt drawn fibres of poly-(ether-ether-ketone) (PEEK) 297
Werff H van der, Pennings AJ: High strength and high modulus fibers of poly(p-xylylene) 587
Weyts KF, Goethals EJ: New synthesis of linear polyethyleneimine 13
Wilczek L, see Kennedy JP, et al. 441
Wilkes GL, see Glaser RH 51
Wilkes GL, see Jorda R.409
Wilson DJ, Jenkins AD: Photo-initiated cationic polymerisation for use in paper preservation 461
Wöbkemeier M, see Hinrichsen G, et al. 161
Wolter HJ, Vancso G, Tomka I, Meissner J: Calculation of orientation factors for crystalline polymers from X-ray pole figure intensities 389

Wu SK, Fouassier JP, Burr D, Crivello JV: The formation of triarylsulfonium salts through a photochemical route 457

Xie H, Fong Y: Ionomers made from copolymers with uniform grafts 179

Yamada H, see Kunugi S, et al. 417
Yamada S, see Hyun SH, et al. 527
Yamamoto K, Asada T, Nishide H, Tsuchida E: Electro-oxidative polymerization of p-dialkoxybenzenes and its mechanism 533
Yoshitake J, see Kashiwa N, et al. 333, 339

Zhang P, see Fang S-B, et al. 81
Zsuga M, see Huang KJ, et al. 43
Zsuga M, Kennedy JP, Kelen T: The Leidenfrost Reactor: a new general purpose direct-cooled reactor and its use for low temperature polymerizations 201
Zsuga M, Kennedy JP, Kelen T: Living carbocationic polymerization. XXII. Effect of polymer precipitation on molecular weight 427

Subject Index Volume 19 (1988)

Acetonitrile 515
Acid catalysis, stereoelectronic control 539
Acrylonitrile 283
Acrylonitrile/methylacrylate copolymer, piezoelectricity 305
Affine deformation 257
2-Alkenyl cyclic imino ether/mercapto-carboxylic acid 239
2-Alkenyl-2-oxazoline/N-acetyl-L-cysteine 247
Amines, polymeric primary aromatic 423
Aromatic amines, primary 423
Aspergillus niger 365
Azulene 325

Bacteriorhodopsin, polyacrylamide 417
Beta silicon carbide whiskers 603
Biodegradable carriers 365
Biodegradable polymer 365
Bisquinazolone, ethynyl terminated 561
Blends 265, 283
Brillouin spectroscopy 97
n-Butyl acrylate, copolymerization 217
4-(2-Bromopropyl)alpha-acetoxystyrene 111

ε-Caprolactam polymerization 539, 547
Carbocationic polymerization, living 21, 29, 35, 319, 427
Carbon Bronsted acid 319
Carboxylated polybutadiene 521
Catalysts, inorganic polymer 347, 353
Cationic ring-opening polymerization 13
Cellulose, acid hydrolysis 461
Chitosan-polyacrylic acid 223
4-(2-Chloroethyl)alpha-acetoxystyrene 111
4-(2-Chloroethyl)styrene 111
Chloromethylated polystyrene resins 111
Citric acid/glycerol copolyesters 365
Conducting polymers 325
Conductivity, electrical 469
Copolyesters, citric acid/glycerol 365
Copper II 251
Cotton cellulose, dilute acid-hydrolized 187
Crystallinity 397
Crystallites 389
Cumyl acetate/BCl_3 35
Cyanoethylmethylsiloxanes 81
Cyclohexane, hydroformylation 353

p-Dialkoxybenzenes 533
Diaryliodonium salts 457
p-Diethoxybenzenes 533
Diffusion, mutual 487
Diglycidylaniline/aniline 269
N,N-Diglycidylaniline/aniline 269
α,ω-Dihydroxy-polyesterethers 555
Dimer liquid crystals, deuterium NMR analysis 403
p-Dimethoxybenzenes 533
1,5-Diphenyl-3,7-dihydroxy-1,5-diazacyclooctane 269
Diphenyliodonium salts 457
Diphenylsiloxane 573
Diphenylsulfides 457
p-Dipropoxybenzenes 533
Direct-cooled reactor 201

Elastomer networks 377
Electrical conduction 509
Electrical conductivity 469
Electroactive polymers 595
Electrolytes, polymeric solid 81
Electron-rich olefins, carbocationic polymerization 319
Electro-oxidative polymerization 533
Enzyme entrapment 417
Epoxy resins 269
Equation-of-state theories 555
Escherichia coli 365

Ester/BCl_3 initiators 21, 29, 35
Ethyleneimine 13
Ethylene-propylene copolymer 339
Ethylene-vinyl acetate copolymers, characterization 89
2-Ethyl-2-oxazoline and N-phenyl-maleimide 123
Ethynylated bisquinazolone 561
Excimer formation 311
Extended Hückel theory 469

Films on paper 461
Flory-Huggins theory 555
Fluorescent probe, microenvironment 193
2-Fluoro-6(3-methyl--2-butenyl)phenol 527

Gels, water-swollen hydrophilic 513
Gel-spun polymeric fibres, shrinkage 65
Gel-spun UHMWPE fibres 65, 73
Gel stretching, weak 257
Generalized spherical harmonics 389
Glycerol/citric acid copolyesters 365
Graft copolymers 179, 435
Grafting, radiolytic 129

HCl-initiated polymerization 539, 547
High modulus fibers 587
High strength fibers 587
Hydroformylation 353
Hydrogels, swollen 513
Hydrogenation, catalytic 347
Hydrophobic anion 193
Hydrosilysation 435
Hydroxyether-linked copolymers 573

Inifers 441
Initiating systems 359
Insertion-olefin methatesis 211
Intermolecular complexes 171
Ionic conductivity 81
Ionomers 179
Inorganic polymer catalysts 347, 353
Isobutyl vinyl ether 359

Kelen-Tüdos method 217
Kinetics of living anionic polymerization 145

Lactam polymerization 539
Lanthanide shift reagents 89
Leidenfrost reactor 201
Linear master dependence 165
Liquid crystal polymers, paramagnetic organometallic 251
Lithiation 441
Lithium perchlorate 81
Living carbocationic polymerization 21, 29, 35, 43
Living cationic polymerization 7, 359
Living polymerization 145, 427
Low temperature polymerizations 201

Melting point depression 283
L-Menthol 515
Mercaptocarboxylic acid 239
Metathesis, olefin 211
Methacrylic acid/poly(2-vinylpyridine), complex formations 149
p-Methoxystyrene, living cationic polymerization 7
Methylmethacrylate, copolymerization 217

p-Methylstyrene, living carbocationic polymerization 29
$MgCl_2/TiCl_4$ catalyst 333, 339
Microbial degradation 365
Microenvironment studies 201
MMA 231
Mössbauer spectrum 275
Multiblock copolymers 579
Mutual diffusion 487

$NiCl_2$ dopant 509
NMR, two-dimensional 89
Norbornene, homopolymerization 211

Olefins, acyclic 211
Organometallic liquid crystal polymer 251
Orientation distribution function 389
Oxidation, inhibition 449
Oxygen barrier properties 397
Oxygen consumption 449

PAEI 435
Paper preservation 461
Paramagnetic LCP 251
Paramagnetic organometallic liquid crystal polymer 251
Pariser-Parr-Pople 469
PDMSM networks 377
PDMSO 377
PEEK polymer 297
PET, oxygen barrier 397
PET film 397
Phase transfer catalysis 59
N-Phenylmaleimide with 2-ethyl-2-oxazoline 123
PIBs, hydroxyl-terminated 137
Piezoelectricity 305
Plasticizer 155, 161
PMMA, $FeCl_3$ inhomogeneously doped 289
PMMA/acetonitrile/L-menthol 515
PMMA-films, NiCl2-doped 509
PMMA macromers 231
Polarization-interference 487
Polyacid, viscometry 493
Polyacrylamide gel membrane 417
Polyacrylate, ion-containing 179
Poly(acrylic acid)/poly(ethylene oxide) 171
Polyaddition 239, 247
Polyalumazane, silica-supported 353
Poly(amide-thioether-ester) 239
-, optically active 247
Polyazulene 325
Polyazulene-bromine complex 325
Polyazulene-iodine complex 325
Polybutadiene containing sucrose, carboxylated 521
Polybutadiene-dioctyl phthalate 487
Poly(eta-caprolactone)/poly(styrene-co-acrylo-nitrile)blends 283
Poly(beta-cyanoethylmethylsiloxane), cross-linked 81
Poly(di-isopropyl fumarate) 477
Poly(dimethyl silmethylenes) 377
Polydimethylsiloxane 51, 377
Polyelectrolytes 493
-, insoluble 223
-, synthetic 193
Polyenolthioethers, sulfur-containing 371
Poly(ether-ether-ketone) 297
Polyethylene 481
-, Brillouin spectrum 97
-, crystalline melting 97
-, gel spun hot-drawn ultra-high molecular weight 481
-, inhibited oxidation 449
Polyethyleneimine 609
-, linear 13
Poly(ethylene oxide)/poly(acrylic acid), interpolymer complexation 171

Poly(ethylene terephthalate, biaxially oriented films 397
Poly(ethylene-b-vinylacetate) copolymers 579
Poly(hydroxyether-siloxane) copolymers 573
Polyisobutylenes, tour-arm star 43
-, terminally-lithiated 441
-, tour-arm star 43
Poly(L-lactide) fibres, gel-spun hot-drawn 65
Polymer liquid crystals 403
Polymer melts, linear master dependence 165
Polymethylmethacrylate 509
Polyolefin, hydroxyl-terminated 137
Poly(para phenylene) 595
Polypropylene 333
Poly(3.6-pyridazine), electrical conductivity 385
Poly(3.6-pyridazine sulphide), electrical conductivity 385
Polysiloxane-polyoxazoline graft 435
Polystannazane-palladium, silica-supported 347
Polystyrene 21
Polystyrene grafts, uniform 179
Poly(styrene oxide), optically active 119
Polystyrene/poly(vinylmethyl ether) blends, phase diagram 265
Polystyrene solutions, excimer formation 311
Polystyrenes, various tacticity 311
Poly(sylenyl ether-dimethylsiloxanes) 103
Polytetrafuoroethylene 275
Poly(tetramethylene oxide) 51
Polyurethanes 1, 521
Polyurethane foams 137
Polyvinyl chloride-butanone-2 system 501
Polyvinylfluoride 129
Poly(vinyl-idenechloride), plasticized 155, 161
Poly(2-vinylpyridine) 149
Poly(p-xylylene) 587
Precipitation, polymer 427
Primary aromatic amines 423
Propylene/ethylene copolymer 339
Propylene polymerization, TiCl4 catalyst system 333
Proton magnetic relaxation 257
PTFE-Fe_2O_3 275
PVC, chemical transformation 59
-, phase equilibria 501
PVC-butanone-2 501
PVDC 155, 161

Racemic styrene oxide, enantioasymmetric polymerization 119
Recrystallized spherulites 409
Ribbon-like melting 65
Rubber elasticity 377

SCLS 509
Semiconductors 469
Semicrystalline polymeric solid 409
Shrinking 65
Sliplink models 615
Spherulites, recrystallization 409
Styrene, living carbocationic polymerizaton 21
Styrene derivatives, living cationic polymerization 7
Styrene oxide, racemic 119
Sucrose polyesters 521
Sulfinylimine reacting with diamine 1
Sulfur-containing polymers 371

Tacticity 311
Taut tie molecules 73
Tedlar films, grafting onto 129
Telechelic prepolymers 43
Telechelics, sulfur-containing 371
Template polymerization 149
Tensile strength 481
TEOS based sol-gel materials 51
N-(2-Tetrahydropyranyl) aziridine 13
Thionyl chloride 1
$TiCl_3$ 333
$TiCl_4$ catalyst system 333, 339
Titaniumisopropoxide 51
Triarylsulfonium salts, photochemical 457
Triblock polymers 103
Trimethylsilyl iodide/zinc iodide 359
Trimethylstyrene, living carbocationic
2,4,6-Trimethylstyrene, living carbocationic polymerization 35

-, gel-spun hot-drawn 481

Uniform grafts 179
Unusual linkages 1
Uranium recovery, basic resins 609
Urethane foams, polyisobutylene-based 137

Valence Effective Hamiltonean 469
o-Vinylbenzylmagnesium chloride 231
5-Vinyl-2,2'-biothiophene, copolymerization 217
5-Vinyl-2,2'-bithiophene/methyl methacrylate/n-butyl acrylate 217
Vinylmonomers, electron-rich 319
Viscometry 515
Viscosity, intrinsic 515
-, specific 493

Water-soluble cationic polymers 193
Water-swollen gels 513
Whisker-polymer composites, beta-silicon carbide 603

Xanthan chain, single stranded 567
Xylenyl ether-dimethylsiloxane triblock 103

Zwitterion, copolymerization via 123

Indexed in *Current Contents*